Wanleibio

Anti-ERCC1 Rabbit pAb

WL04855

For Research Use Only.Not For Use In Diagnostic Procedures

Product Information

Product name	Anti-ERCC1 Rabbit pAb	
Source	Rabbit	
Species reactivity	Human	
Tested applications	WB	1:500-1:1000
Packsize	50/100/200/500/1000µl	
Storage	Store at -20°C. Avoid freeze/thaw cycles.	
Storage buffer	Supplied in 20 mM phosphate (pH 7.5), 150 mM NaCl, 100 $\mu g/ml$	
	BSA, 50% glycerol and less than 0.02% sodium azide	




Anti-ERCC1 Rabbit pAb

Wanleibio

WL04855

For Research Use Only.Not For Use In Diagnostic Procedures

Product Images



Western blot-Anti-ERCC1 pAb

Lane 1: Human Hela cell lysate Lane 2: Human MCF-7 cell lysate Lane 3: Human HEK-293 cell lysate All lanes: Anti-ERCC1 at 1:1000 dilution Lysates/proteins at 20-50 µg per lane. Predicted band size: 36 kDa Observed band size: 36 kDa

General Information

BackgroundExcision Repair Cross Complementing 1 (ERCC1) is a structure-specific
endonuclease that is responsible for the 5'-incision during DNA repair. It
forms a complex with ERCC11, XPF and ERCC4, which are required in both
recombinatorial repair and nucleotide excision repair.

Immunogen	Polyclonal antibody is produced by immunizing animals with a synthetic peptide of ERCC1.
Purification	Polyclonal antibody was purified by immunogen affinity chromatography.