# Wanleibio

# Anti-FBXW7/Cdc4 Rabbit pAb

WL01079

For Research Use Only.Not For Use In Diagnostic Procedures

## **Product Information**

Product name	Anti-FBXW7/Cdc4 Rabbit pAb	
Source	Rabbit	
Species reactivity	Human, Mouse, Rat	
Tested applications	WB	1:500-1:1000
Packsize	50/100/200/500/1000µl	
Storage	Store at -20°C. Avoid freeze/thaw cycles.	
Storage buffer	Supplied in 20 mM phosphate (pH 7.5), 150 mM NaCl, 100 $\mu g/ml$	
	BSA, 50% glycerol and less than 0.02% sodium azide	

## Product Datasheet


# Anti-FBXW7/Cdc4 Rabbit pAb

Wanleibio

WL01079


For Research Use Only.Not For Use In Diagnostic Procedures

### Product Images



#### Western blot-Anti-FBXW7/Cdc4 pAb

Lane 1: Human HepG2 cell lysate Lane 2: Human Hela cell lysate Lane 3: Human BGC-823 cell lysate Lane 4: Human MGC-803 cell lysate All lanes: Anti-FBXW7/Cdc4 at 1:1000 dilution Lysates/proteins at 20-50 µg per lane. Predicted band size: 80 kDa Observed band size: 70 kDa



#### Western blot-Anti-FBXW7/Cdc4 pAb

Lane 1: Mouse heart tissue lysate Lane 2: Rat liver tissue lysate All lanes: Anti-FBXW7/Cdc4 at 1:1000 dilution Lysates/proteins at 20-50 µg per lane. Predicted band size: 80 kDa Observed band size: 70 kDa

# **General Information**

Background	This protein is a member of the F-box protein family which is characterized by an approximately 40 amino acid motif, the F-box. F-box proteins constitute one of the four subunits of ubiquitin protein ligase complex called SCFs (SKP1- cullin-F-box), which function in phosphorylation-dependent ubiquitination. Cdc4, also known as AGO, FBW7, FBXW7, FBX30, SEL10, and FLJ11071, maps to human chromosome 4q31.3. Mutations in the Cdc4 gene are detected in ovarian and breast cancer cell lines, implicating the gene's potential role in the pathogenesis of human cancers. Three transcript variants encoding three different isoforms have been found for this gene.
Immunogen	Polyclonal antibody is produced by immunizing animals with a synthetic

peptide of FBXW7/Cdc4.

 Purification
 Polyclonal antibody was purified by immunogen affinity chromatography.