# Wanleibio

# Anti-BACH1 Rabbit pAb

WL05212

For Research Use Only.Not For Use In Diagnostic Procedures

### **Product Information**

Product name	Anti-BACH1 Rabbit pAb	
Source	Rabbit	
Species reactivity	Human	
Tested applications	WB	1:1000-1:2000
Packsize	50/100/200/500/1000µl	
Storage	Store at -20°C. Avoid freeze/thaw cycles.	
Storage buffer	Supplied in 20 mM phosphate (pH 7.5), 150 mM NaCl, 100 $\mu$ g/ml	
	BSA, 50% glycerol and less than 0.02% sodium azide	

Product Datasheet


# Anti-BACH1 Rabbit pAb

Wanleibio

WL05212

For Research Use Only.Not For Use In Diagnostic Procedures

#### Product Images



#### Western blot-Anti-BACH1 pAb

Lane 1: Human SW480 cell lysate All lanes: Anti-BACH1 at 1:1000 dilution Lysates/proteins at 20-50 µg per lane. Predicted band size: 82 kDa Observed band size: 140 kDa

## **General Information**

Background	BTB and CNC homology 1, basic leucine zipper transcription factor 1(BACH1) is a heme-regulated transcriptional regulator that acts as repressor or activator and a member of the AP-a superfamily. MafK belongs to the small Maf family that can funciton as transcriptional activators or repressors depending on the proteins with which they form heterdimers. BACH1 has crucial roles in both stress responses and transformation by H- RasV12.
Immunogen	Polyclonal antibody is produced by immunizing animals with a synthetic peptide of BACH1.
Purification	Polyclonal antibody was purified by Protein A affinity chromatography.