

Anti-NMDAR1 Rabbit pAb



WL02399

For Research Use Only. Not For Use In Diagnostic Procedures

Product Information

Product name	Anti-NMDAR1 Rabbit pAb	
Source	Rabbit	
Species reactivity	Human, Mouse, Rat	
Tested applications	WB	1:500-1:1000
Pack size	50/100/200/500/1000 μ l	
Storage	Store at -20°C. Avoid freeze/thaw cycles.	
Storage buffer	Supplied in 20 mM phosphate (pH 7.5), 150 mM NaCl, 100 μ g/ml BSA, 50% glycerol and less than 0.02% sodium azide	

General Information

Background	G protein-coupled receptors (GPCRs) represent a large superfamily of cell-surface receptors that are involved in a multitude of physiological processes such as perception of sensory information, modulation of synaptic transmission, hormone release/actions, regulation of cell contraction/migration and cell growth/differentiation. Their diverse biological functions range from vision and olfaction to neuronal and endocrine signaling and are involved in many pathological conditions. PKC can phosphorylate the NR1 subunit (NMDAR1) of the receptor at Ser890/Ser896, and PKA can phosphorylate NR1 at Ser897. The phosphorylation of NR1 by PKC decreases its affinity for calmodulin, thus preventing the inhibitory effect of calmodulin on NMDAR.
Immunogen	Polyclonal antibody is produced by immunizing animals with a synthetic peptide of NMDAR1.
Purification	Polyclonal antibody was purified by immunogen affinity chromatography.


Anti-NMDAR1 Rabbit pAb



WL02399

For Research Use Only. Not For Use In Diagnostic Procedures

Product Images



Western blot-Anti-NMDAR1 pAb

Lane 1: Human HepG2 cell lysate
 Lane 2: Human Hela cell lysate
 Lane 3: Human BGC-823 cell lysate
 Lane 4: Human MGC-803 cell lysate
 All lanes: Anti-NMDAR1 at 1:1000 dilution
 Lysates/proteins at 20-50 μ g per lane.
 Predicted band size: 105 kDa
 Observed band size: 105 kDa