# Wanleib

Anti-CXCR2 Rabbit pAb

# WL02747

For Research Use Only.Not For Use In Diagnostic Procedures

#### **Product Information**

Product name	Anti- CXCR2 Rabbit pAb	
Source	Rabbit	
Species reactivity	Human	
Tested applications	WB	1:500-1:1000
Pack size	50/100/200/500/1000µl	
Storage	Store at -20°C. Avoid freeze/thaw cycles.	
Storage buffer	Supplied in 20 mM phosphate (pH 7.5), 150 mM NaCl, 100 $\mu g/ml$	
	BSA, 50% glycerol and less than 0.02% sodium azide	




## Anti-CXCR2 Rabbit pAb



For Research Use Only.Not For Use In Diagnostic Procedures

#### **Product Images**



#### Western blot-Anti- CXCR2 pAb

Lane 1: Human Hela cell lysate Lane 2: Human HEK-293 cell lysate Lane 3: Human HCT116 cell lysate All lanes: Anti- CXCR2 at 1:1000 dilution Lysates/proteins at 20-50 µg per lane. Predicted band size: 40 kDa Observed band size: 40 kDa

### **General Information**

Background Cd182 belongs to the G-protein coupled receptor 1 family. It is a receptor for interleukin-8 which is a powerful neutrophil chemotactic factor. It binds to IL8 with high affinity, and transduces the signal through a G-protein activated second messenger system. It binds to IL-8 with high affinity.

Immunogen	Polyclonal antibody is produced by immunizing animals with a synthetic peptide of CXCR2.
Purification	Polyclonal antibody was purified by immunogen affinity chromatography.

WL02747