

## Anti-Myc tag Rabbit pAb



WL05461

For Research Use Only. Not For Use In Diagnostic Procedures

## Product Information

<b>Product name</b>	Anti-Myc tag Rabbit pAb	
<b>Source</b>	Rabbit	
<b>Species reactivity</b>	Species independent	
<b>Tested applications</b>	WB	1:1000
<b>Pack size</b>	50/100/200/500/1000µl	
<b>Storage</b>	Store at -20°C. <b>Avoid freeze/thaw cycles.</b>	
<b>Storage buffer</b>	Supplied in 20 mM phosphate (pH 7.5), 150 mM NaCl, 100 µg/ml BSA, 50% glycerol and less than 0.02% sodium azide	

## General Information

<b>Background</b>	The myc tag is a short synthetic peptide sequence derived from the myc protein, which can be fused to the N-terminus or C-terminus of any protein without affecting its function, for isolation and study when antibodies cannot be obtained.
<b>Immunogen</b>	Polyclonal antibody is produced by immunizing animals with a synthetic peptide of Myc tag.
<b>Purification</b>	Polyclonal antibody was purified by immunogen affinity chromatography.


## Anti-Myc tag Rabbit pAb



WL05461

For Research Use Only. Not For Use In Diagnostic Procedures

## Product Images



## Western blot-Anti-Myc tag pAb

**Lane 1:** HEK-293T cell lysate transfected with empty expression vector  
**Lane 2:** HEK-293T cell lysate transfected with Myc tagged TRIP13 construct  
**Lane 3:** HEK-293T cell lysate transfected with Myc tagged MAD2L2 construct  
**All lanes:** Anti-Myc tag at 1:1000 dilution  
 Lysates/proteins at 20-50 µg per lane