Wanleibio

Anti-BrdU Rabbit pAb



WL03820

For Research Use Only. Not For Use In Diagnostic Procedures

Product Information

| Product name | Anti-BrdU Rabbit pAb |
|-----------------------|---|
| Source | Rabbit |
| Species reactivity | Species independent |
| Tested applications | Immunofluorescence 1:100 |
| Cellular localization | Nuclear. |
| Pack size | 50/100/200/500/1000µl |
| Storage | Store at -20°C. Avoid freeze/thaw cycles. |
| Storage buffer | Supplied in 20 mM phosphate (pH 7.5), 150 mM NaCl, 100 $\mu g/ml$ |
| | BSA, 50% glycerol and less than 0.02% sodium azide |


Product Datasheet

Anti-BrdU Rabbit pAb



For Research Use Only.Not For Use In Diagnostic Procedures

Product Images



Immunofluorescence-Anti-BrdU pAb

Sample: Hela cells treated with 100uM Brdu for 4hrs Primary antibody: 1:100

General Information

| Background | The immunocytochemical detection of bromodeoxyuridine (BrdU) incorporated into DNA is a powerful tool to study the cytokinetics of normal and neoplastic cells. In vitro or in vivo labeling of tumor cells with the thymidine analogue BrdU and the subsequent detection of incorporated BrdU with specific anti-BrdU monoclonal antibodies is an accurate and comprehensive method to quantitate the degree of DNA- synthesis. Also dynamic proliferative information such as the S-phase transit rate and the potential doubling time can be obtained, by means of bivariate BrdU/DNA flow cytometric analysis. |
|--------------|--|
| Immunogen | Polyclonal antibody is produced by immunizing animals with a synthetic peptide of BrdU. |
| Purification | Polyclonal antibody was purified by Protent A affinity chromatography. |

WL03820