Wanleibio

Anti-Frizzled 2 Rabbit pAb

WL04710

For Research Use Only.Not For Use In Diagnostic Procedures

Product Information

Product name	Anti-Frizzled 2 Rabbit pAb	
Source	Rabbit	
Species reactivity	Human	
Tested applications	WB	1:500-1:1000
Packsize	50/100/200/500/1000µl	
Storage	Store at -20°C. Avoid freeze/thaw cycles.	
Storage buffer	Supplied in 20 mM phosphate (pH 7.5), 150 mM NaCl, 100 $\mu g/ml$	
	BSA, 50% glycerol and less than 0.02% sodium azide	

Product Datasheet

Anti-Frizzled 2 Rabbit pAb

Wanleibio

WL04710

For Research Use Only.Not For Use In Diagnostic Procedures

Product Images



Western blot-Anti-Frizzled 2 pAb

Lane 1: Human Hela cell lysate Lane 2: Human MCF-7 cell lysate Lane 3: Human HEK-293 cell lysate Lane 4: Human A549 cell lysate All lanes: Anti-Frizzled 2 at 1:1000 dilution Lysates/proteins at 20-50 µg per lane. Predicted band size: 64 kDa Observed band size: 64-70 kDa

General Information

Background	Fzd5, is the receptor for the Wnt5A ligand. Fzd5 modulates cell fate and cell behavior during vertebrate development. It regulates hematopoiesis by the antagonism of the canonical Wnt pathway, resulting in a pool of quiescent hematopoietic stem cells, and regulates hematopoietic stem cell function in a paracrine fashion through several distinct mechanisms including modulating canonical Wnt signaling. It acts through noncanonical Wnt signaling to promote angiogenesis.
Immunogen	Polyclonal antibody is produced by immunizing animals with a synthetic peptide of Frizzled 2.
Purification	Polyclonal antibody was purified by immunogen affinity chromatography.