Product Datasheet

Wanleibio

Anti-MCP-1 Rabbit pAb

Product Datasheet



WLH3384

WLH3384

For Research Use Only. Not For Use In Diagnostic Procedures

Product Information

Product name Anti-MCP-1 Rabbit pAb

Source Rabbit

Species reactivity Human, Mouse, Rat

Tested applications IHC 1:100-1:400

> ΙF 1:200

Cellular localization Secreted

Pack size 50/100/200/500/1000µl

Store at -20°C. Avoid freeze/thaw cycles. Storage

Supplied in 20 mM phosphate (pH 7.5), 150 mM NaCl, 100 µg/ml Storage buffer

BSA, 50% glycerol and less than 0.02% sodium azide

General Information

Monocyte chemotactic protein-1 (MCP-1), also known as CCL2, monocyte **Background**

> chemotactic activating factor (MCAF) or glioma-derived chemotactic factor-2 (GDCF-2), is the product of the human JE gene and a member of the family of C-C (or β) chemokines MCP-1 is a potent basophil activator but does not affect eosinophils. MCP-1 levels are increased during infection and inflammation, which are both characterized by leukocyte infiltration. Two MCP-1 receptors, which differ in their carboxy-termini,

have been identified.

Immunogen Polyclonal antibody is produced by immunizing animals with a synthetic


peptide of MCP-1.

Purification Polyclonal antibody was purified by immunogen affinity chromatography.

Anti-MCP-1 Rabbit pAb

For Research Use Only. Not For Use In Diagnostic Procedures


Product Images



Immunohistochemistry-Anti-MCP-1 pAb

Immunohistochemical analysis of paraffin-embedded mouse lung using anti-MCP-1Rabbit Antibody at 1:200 dilution.


Perform heat mediated antigen retrieval with Tris-EDTA buffer pH 9.0



Immunohistochemistry-Anti-MCP-1 pAb

Immunohistochemical analysis of paraffin-embedded rat lung using anti-MCP-1Rabbit Antibody at 1:200 dilution.

Perform heat mediated antigen retrieval with Tris-EDTA buffer pH 9.0



Immunofluorescence-Anti-MCP-1 pAb

Immunofluorescence analysis of paraffin-embedded rat lung using anti-MCP-1 Rabbit Antibody at 1:200 dilution.

Perform heat mediated antigen retrieval with Tris-EDTA buffer pH 9.0

Wanleibio Co., Ltd. Wanleibio Co., Ltd. 400-602-0407 www.wanleibio.com 400-602-0407 sales@wanleibio.com www.wanleibio.com sales@wanleibio.com