

Anti-Angiogenin Rabbit pAb



WL04508

For Research Use Only. Not For Use In Diagnostic Procedures

Product Information

Product name	Anti-Angiogenin Rabbit pAb		
Source	Rabbit		
Species reactivity	Human, Mouse, Rat		
Tested applications	WB	1:500-1:1000	
	IHC, IF	1:200	
Cellular localization	Cytoplasm, Nucleus, Secreted		
Pack size	50/100/200/500/1000μl		
Storage	Store at -20°C. Avoid freeze/thaw cycles.		
Storage buffer	Supplied in 20 mM phosphate (pH 7.5), 150 mM NaCl, 100 μg/ml		
	BSA, 50% glycerol and less than 0.02% sodium azide		

General Information

Background	Angiogenesis is an exceedingly potent mediator of new blood vessel formation. Angiogenin, originally identified as a tumor angiogenic factor, was related with the growth and metastasis of numerous tumors. Increased angiogenin serum levels have been associated with the incidence and severity of several human tumors, including HCC.
Immunogen	Polyclonal antibody is produced by immunizing animals with a synthetic peptide of Angiogenin.
Purification	Polyclonal antibody was purified by immunogen affinity


Anti-Angiogenin Rabbit pAb



WL04508

For Research Use Only. Not For Use In Diagnostic Procedures

Product Images



Western blot-Anti-Angiogenin pAb

Lane 1: Mouse liver tissue lysate


Lane 2: Rat liver tissue lysate

All lanes: Anti-Angiogenin at 1:1000 dilution

Lysates/proteins at 20-50 μg per lane

Predicted band size: 17 kDa

Observed band size: 17 kDa



Immunofluorescence-Anti-Angiogenin pAb

Immunofluorescence analysis of paraffin-embedded human liver cancer using anti-Angiogenin Rabbit Antibody at 1:200 dilution.

Perform heat mediated antigen retrieval with Tris-EDTA buffer pH 9.0