

Anti-Bag3 Rabbit pAb



WLH4435

For Research Use Only. Not For Use In Diagnostic Procedures

Product Information

|                       |                                                              |             |  |
|-----------------------|--------------------------------------------------------------|-------------|--|
| Product name          | Anti-Bag3 Rabbit pAb                                         |             |  |
| Source                | Rabbit                                                       |             |  |
| Species reactivity    | Human, Mouse, Rat, Rabbit                                    |             |  |
| Tested applications   | IHC                                                          | 1:100-1:400 |  |
|                       | IF                                                           | 1:100-1:400 |  |
| Cellular localization | Cytoplasm. Nucleus                                           |             |  |
| Pack size             | 50/100/200/500/1000μl                                        |             |  |
| Storage               | Store at -20°C. <b>Avoid freeze/thaw cycles.</b>             |             |  |
| Storage buffer        | Supplied in 20 mM phosphate (pH 7.5), 150 mM NaCl, 100 μg/ml |             |  |
|                       | BSA, 50% glycerol and less than 0.02% sodium azide           |             |  |

General Information

|              |                                                                                                                                                                                                                                                                                                                                                                                                                    |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Background   | BAG3 (Bcl2-associated athanogene 3) belongs to the BAG protein family, the co-chaperone that binds to Hsc70/Hsp70 through the BAG domain and modulates their activity in polypeptide folding. Contains a WW domain in the N-terminal region and a BAG domain in the C-terminal region. The BAG domains of BAG1, BAG2, and BAG3 interact specifically with the Hsc70 ATPase domain in vitro and in mammalian cells. |
| Immunogen    | Polyclonal antibody is produced by immunizing animals with a synthetic peptide of Bag3.                                                                                                                                                                                                                                                                                                                            |
| Purification | Polyclonal antibody was purified by immunogen affinity chromatography.                                                                                                                                                                                                                                                                                                                                             |


Anti-Bag3 Rabbit pAb




WLH4435

For Research Use Only. Not For Use In Diagnostic Procedures


Product Images



**Immunohistochemistry-Anti-Bag3 pAb**  
Immunohistochemical analysis of paraffin-embedded mouse liver using anti-Bag3 Rabbit Antibody at 1:200 dilution.  
Perform heat mediated antigen retrieval with Tris-EDTA buffer pH 9.0



**Immunohistochemistry-Anti-Bag3 pAb**  
Immunohistochemical analysis of paraffin-embedded mouse testicle using anti-Bag3 Rabbit Antibody at 1:200 dilution.  
Perform heat mediated antigen retrieval with Tris-EDTA buffer pH 9.0



**Immunohistochemistry-Anti-Bag3 pAb**  
Immunohistochemical analysis of paraffin-embedded rat kidney using anti-Bag3 Rabbit Antibody at 1:200 dilution.  
Perform heat mediated antigen retrieval with Tris-EDTA buffer pH 9.0


Anti-Bag3 Rabbit pAb




WLH4435

For Research Use Only. Not For Use In Diagnostic Procedures


Product Information



**Immunohistochemistry-Anti-Bag3 pAb**  
Immunohistochemical analysis of paraffin-embedded rabbit kidney using anti-Bag3 Rabbit Antibody at 1:200 dilution.  
Perform heat mediated antigen retrieval with Tris-EDTA buffer pH 9.0



**Immunofluorescence-Anti-Bag3 pAb**  
Immunofluorescence analysis of paraffin-embedded human colon cancer using anti-Bag3 Rabbit Antibody at 1:200 dilution.  
Perform heat mediated antigen retrieval with Tris-EDTA buffer pH 9.0



**Immunofluorescence-Anti-Bag3 pAb**  
Immunofluorescence analysis of paraffin-embedded mouse testicle using anti-Bag3 Rabbit Antibody at 1:200 dilution.  
Perform heat mediated antigen retrieval with Tris-EDTA buffer pH 9.0


Anti-Bag3 Rabbit pAb




WLH4435

For Research Use Only. Not For Use In Diagnostic Procedures


Product Images



**Immunofluorescence-Anti-Bag3 pAb**  
Immunofluorescence analysis of paraffin-embedded mouse uterus using anti-Bag3 Rabbit Antibody at 1:200 dilution.  
Perform heat mediated antigen retrieval with Tris-EDTA buffer pH 9.0



**Immunofluorescence-Anti-Bag3 pAb**  
Immunofluorescence analysis of paraffin-embedded rat kidney using anti-Bag3 Rabbit Antibody at 1:200 dilution.  
Perform heat mediated antigen retrieval with Tris-EDTA buffer pH 9.0



**Immunofluorescence-Anti-Bag3 pAb**  
Immunofluorescence analysis of paraffin-embedded rat lung using anti-Bag3 Rabbit Antibody at 1:200 dilution.  
Perform heat mediated antigen retrieval with Tris-EDTA buffer pH 9.0


## Anti-Bag3 Rabbit pAb



WLH4435

For Research Use Only. Not For Use In Diagnostic Procedures

### Product Information



#### Immunofluorescence-Anti-Bag3 pAb

Immunofluorescence analysis of paraffin-embedded rabbit kidney using anti-Bag3 Rabbit Antibody at 1:200 dilution.

Perform heat mediated antigen retrieval with Tris-EDTA buffer pH 9.0