Product Datasheet

Wanleibio

Anti-CD4 Rabbit pAb

Product Information

Product name

Species reactivity

Tested applications

Source

Pack size

Storage

Storage buffer

For Research Use Only. Not For Use In Diagnostic Procedures

WL0281



WL0281

For Research Use Only. Not For Use In Diagnostic Procedures

Product Images

70

Western blot-Anti-CD4 pAb

Lane 1: Human SW480 cell lysate Lane 2: Human BGC-823 cell lysate Lane 3: Human MGC-803 cell lysate Lane 4: Human SGC-7901 cell lysate All lanes: Anti-CD4 at 1:1000 dilution Lysates/proteins at 20-50 µg per lane. Predicted band size: 51 kDa Observed band size: 51 kDa

General Information

Background

CD4 encodes a membrane glycoprotein of T lymphocytes that interacts with major histocompatibility complex class II antigenes and is also a receptor for the human immunodeficiency virus. This gene is expressed not only in T lymphocytes, but also in B cells, macrophages, and granulocytes. It is also expressed in specific regions of the brain. The protein functions to initiate or augment the early phase of T-cell activation, and may function as an important mediator of indirect neuronal damage in infectious and immunemediated diseases of the central nervous system.

1:500-1:1000

Supplied in 20 mM phosphate (pH 7.5), 150 mM NaCl, 100 µg/ml

BSA, 50% glycerol and less than 0.02% sodium azide

Immunogen Polyclonal antibody is produced by immunizing animals with a synthetic

peptide of CD4.

Anti-CD4 Rabbit pAb

Human, Mouse, Rat

50/100/200/500/1000µl

Store at -20°C. Avoid freeze/thaw cycles.

Western blot

Rabbit

Purification Polyclonal antibody was purified by immunogen affinity chromatography.

Wanleibio Co., Ltd. 400-602-0407 sales@wanleibio.com www.wanleibio.com Wanleibio Co., Ltd. 400-602-0407 www.wanleibio.com sales@wanleibio.com



Product Datasheet

